


## Deleting a section

### Procedure

1. Start the transaction using the menu path or transaction code.

### View structure



The screenshot shows the Web Intelligence Rich Client interface. The main report area displays a table with the following data:

California			\$7,479,569
City	Store name	Sales revenue	
Los Angeles	e-Fashion Los Ange	\$4,220,929	
San Francisco	e-Fashion San Fran	\$3,258,641	
Colorado			\$2,060,275
City	Store name	Sales revenue	
Colorado Springs	e-Fashion Colorado	\$2,060,275	
DC			\$2,961,950
City	Store name	Sales revenue	
Washington	e-Fashion Washingt	\$2,961,950	
Florida			\$1,879,159
City	Store name	Sales revenue	
Miami	e-Fashion Miami Su	\$1,879,159	

The interface also shows a left-hand pane with a tree view containing 'Deleting a section', 'City', 'State', 'Store name', and 'Sales revenue'. The status bar at the bottom indicates 'Last Refresh Date: April 10, 2008 11:06:50 AM GMT-07:00' and 'Connected'.


2. Click **Reporting Toolbar** drop-down .

Now delete a section in View Structure mode.

3. Click **View Structure**.

## Deleting a section

### Selecting a section




4. Click inside the section: **State**.

Select the section by clicking anywhere inside the section.

## Deleting a section

### Deleting a section



5. Press [Enter] to continue.

Deleting this section may be accomplished using one of two methods. You may press the Delete key or right-click inside a section to activate a menu.

Deleting using the right-click method: In the application you would normally right-click inside the State section.

In this exercise, the right mouse button has been pressed for you.

Press **[Enter]** to continue.

6. Click **Remove**.


## Deleting a section

7. Press [Enter] to continue.

The section: State has been deleted.

Press **[Enter]** to continue.

## Undo



The screenshot shows the Web Intelligence Rich Client interface. The title bar reads "Web Intelligence Rich Client - Deleting a section - [user - @IDD]". The menu bar includes File, Edit, View, Insert, Reporting, Tools, Data, Analysis, Window, and Help. The toolbar contains icons for Edit Query, Refresh Data, Track, Drill, and other functions. The main window displays a report titled "Deleting a section". The report has a table with the following structure:

=NameOf({City})	=NameOf({Store name})	=NameOf({Sales revenue})
=[City]	=[Store name]	=[Sales revenue]

The report also includes a "Report Title" section and a "Page Header" section. The status bar at the bottom indicates "Last Refresh Date: April 10, 2008 11:06:50 AM GMT-07:00" and "Connected".

8. Click **Reporting toolbar** drop-down .


Now we will undo the section delete.

9. Click **Undo** .

## Deleting a section

- Click the **Reporting tool** drop-down .

### View Results



The screenshot shows the Web Intelligence Rich Client interface. The main window displays a report titled "Deleting a section". The report content is partially obscured by a "Section on State" error message. The table below shows the structure of the report with fields for State, City, Store name, and Sales revenue.

[State]	=Sum([Sales revenue])		
=NameOf([City])	=NameOf([Store name])	=NameOf([Sales revenue])	
=City	=Store name	=Sales revenue	

End of Section on: State

Report 1

Last Refresh Date: April 10, 2008 11:06:50 AM GMT-07:00 Connected

- Click **View Results**.
- Press **[Enter]** to continue.

The deleted section has now returned.

Press **[Enter]** to continue.